

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"7248862"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:55
L2	2	"7248862".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:55
L3	4565	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L4	799	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L5	463	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L6	355	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L7	606	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L8	454	((((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L9	40	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L10	3391	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L11	516	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L12	386	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L13	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L14	2	"20020004898" and location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L15	2	"20020004898" and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L16	694	symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L17	25	(symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L18	662	symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header with first with second with third	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L19	799	fan-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L20	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L21	463	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L22	355	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L23	606	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L24	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L25	1328	L21 or L22 or L23 or L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L26	799	fan-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L27	0	L25 and L26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L28	4565	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L29	110	L25 and L28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L30	3391	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L31	129	L25 and L30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L32	463	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L33	463	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L34	355	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L35	606	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L36	454	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L37	40	((double or twice) with encrypt\$) with decrypt\$.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L38	3391	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L39	516	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L40	386	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L41	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L42	4565	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L43	799	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L44	799	{an-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L45	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L46	463	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L47	355	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L48	606	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L49	463	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L50	355	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L51	606	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L52	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L53	1328	L49 or L50 or L51 or L52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L54	799	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L55	1328	L49 or L50 or L51 or L52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L56	799	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L57	0	L55 and L56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L58	4565	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L59	4565	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L60	110	L55 and L59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L61	3391	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L62	3391	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L63	129	L55 and L62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L64	3041	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L65	1302	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L66	289	(\$crypt\$4 same packet \$2 same key same transmi\$5 same network) and (key\$2 near (second pair))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L67	939127	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L68	7044	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L69	313	(twice \$crypt\$4) same packet\$2 same key\$2 same transmi\$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L70	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi\$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L71	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L72	4	(twice adj \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L73	185	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L74	53	(twice adj \$crypt\$4) and packet\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L75	3	"20020004898"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L76	4565	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L77	799	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L78	463	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L79	355	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L80	606	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L81	454	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L82	40	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L83	3391	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L84	516	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L85	386	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L86	36	{encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L87	2	"20020004898" and location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L88	2	"20020004898" and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L89	694	symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L90	25	{symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L91	662	symmetric with session with key with public key with encrypt\$ with decrypt\$ with payload with header with first with second with third	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L92	799	{an-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L93	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L94	463	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L95	355	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L96	606	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L97	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L98	1328	L94 or L95 or L96 or L97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L99	799	{an-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L100	0	L98 and L99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L101	4565	(transmit or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L102	110	L98 and L101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L103	3391	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L104	129	L98 and L103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L105	463	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L106	463	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L107	355	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L108	606	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L109	454	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L110	40	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L111	3391	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L112	516	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L113	386	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L114	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L115	4565	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L116	799	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L117	799	{an-r\$.in. or tiwari-a\$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L118	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L119	463	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L120	355	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L121	606	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L122	463	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L123	355	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L124	606	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L125	0	(713/201).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L126	1328	L122 or L123 or L124 or L125	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L127	799	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L128	1328	L122 or L123 or L124 or L125	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L129	799	fan-r\$.in. or tiwari-a\$. in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L130	0	L128 and L129	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L131	4565	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L132	4565	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L133	110	L128 and L132	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L134	3391	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L135	3391	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L136	129	L128 and L135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L137	3041	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L138	1302	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L139	289	(\$crypt\$4 same packet \$2 same key same transmi\$5 same network) and (key\$2 near (second pair))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L140	939127	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L141	7044	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L142	313	(twice \$crypt\$4) same packet\$2 same key\$2 same transmi\$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L143	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi\$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

L144	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L145	4	(twice adj \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L146	185	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L147	53	(twice adj \$crypt\$4) and packet\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58
L148	3	"20020004898"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 16:58

3/ 1/ 2009 5:31:23 PM

C:\Documents and Settings\tteslovich\ My Documents\ EAST\ Workspaces\ 09927928.wsp